

IF IT WORX, IT'S



A MULTIFUNCTIONAL SYSTEM, WHICH
OFFERS SUPERB PERFORMANCE
**WHEN SPACE IS AT
A PREMIUM.**



MULTIFUNCTIONAL SYSTEM

CD 5130P/5130/5230

CD 5135/5235

Copy / Print / Scan / Fax

A4



HIGHLY COMPACT AND ENORMOUSLY HELPFUL.

THESE FIVE A4 MULTIFUNCTIONAL SYSTEMS PROVIDE MAXIMUM PERFORMANCE IN A MINIMUM AMOUNT OF SPACE. THEY ARE PARTICULARLY WELL SUITED TO PLACES WHERE EVERY INCH IS PRECIOUS.

Wherever they are put to use, be it a reception, in the home office, in the hospital ward, or as an extension of the main multifunctional system – even when space is at a premium, our multifunctional systems will deliver what's required. Despite their compact size, these systems are built for performance and offer a wide range of functions.



The pleasing design integrates seamlessly with any office environment, and the printing system is compatible with almost any network. A programming function lets you store and recall recurring jobs, even complex ones – something that will save you a lot of time. You can also print directly from a USB stick or scan your data directly to your storage medium, reliably and with ease. The well-designed control panel makes operation easier than ever. Thanks to an authentication function, you can even assign your jobs to individual projects or departments. This ensures a reliable workflow and helps keep costs down.



There's one feature that makes this multifunctional system particularly versatile: The integrated duplex printing function saves not only space but also time and money.



CD 5130P/5130/5230/5135/5235

MULTIFUNCTIONAL SYSTEM

Low to medium volume models

A4

1 x 250 sheets as standard
universal cassette, duplex unit and
original feeder¹⁾



Space saving design



Automatic document processing¹⁾



Intuitive operation

WHAT IT WILL DO FOR YOU:

Usable anywhere: The compact, pleasing design suits any setting.

Original feeder with auto reverse function offering a capacity of 50 pages.

Versatile and efficient: Scan in b&w or colour, single sided or double sided, and if needed, upwards of 50 pages.

Comprehensive fax function: With the CD 5230 or CD 5235 at the press of a button.

Simple and fast: Scan directly to your USB stick.

Card Authentication Kit (B)**

Secure printing: Thanks to an authentication function for controlling user authorisations, your printouts will never end up in the wrong hands. In addition, the printer driver provides a "Private Printing" function²⁾.

Wide range of printer drivers: The system can be integrated into virtually any network environment.

Economical use of resources: Thanks to long-lasting consumables, only the toner cartridge needs to be replaced.

Energy saving: This lowers your operating costs and helps to protect the environment.

Max. 3 x 250-sheet universal cassettes* and 50-sheet multi-bypass
High productivity: Copy and print up to 30 or 35 A4 pages per minute without having to restock the paper trays all the time.

Prescription printing: Print formats ranging from A6R to A4 using the standard cassette and the multi-bypass.

Diverse range of print media (e.g. letterhead, postcards, labels, etc.):
Processes paper weights of 60–220 g/m².

*option / **option, without illustration

¹⁾ The CD 5130P is equipped with platen cover as standard. ²⁾ Additional memory required

CD 5130P/5130/5230/5135/5235

TECHNICAL DATA

General		Environment		File types	
Type	Desktop	Mains voltage	220/240 V, 50/60 Hz	TIFF, PDF, JPEG, XPS	
Function	CD 5130P/5130/5135: Copy, print, scan CD 5230/5235: Copy, print, scan, fax	Power consumption	approx. 1,016/1,031/1,035/1,035/1,037 W (CD 5130P/5130/5230/5135/5235) max. 480.1/480.1/481.6/497.1/501.7 W (CD 5130P/5130/5230/5135/5235) in operation, approx. 77.9/77.9/83.1/ 79.6/83.9 W (CD 5130P/5130/5230/ 5135/5235) in stand-by mode, approx. 7.8/7.8/10.6/7.8/10.6 W (CD 5130P/5130/ 5230/5135/5235) in sleep mode	10/100BaseTX	
Print technology	Laser b/w	Safety	GS/TÜV, CE	TCP/IP	
Original format	max A4 from platen glass	Noise level	approx. 54 dB(A) (CD 5130P/5130/5230)/ approx. 55 dB(A) (CD 5135/5235) in operation, approx. 30 dB(A) in stand-by mode (ISO 7779/9296)	Windows XP, Vista, Windows 7, Server 2003/2008 R2	
Original feeder*	50 sheet A4, 50–120 g/m ² (simplex), 50–110 g/m ² (duplex)	Print system		Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan (Windows Vista, Windows 7, Server 2008 R2), SMTP authentication, LDAP	
Copy/print speed	max 30 A4 pages/min, duplex: max 17 A4 pages/min max 35 A4 pages/min, duplex: max 19 A4 pages/min	Type	Integrated within the system	Fax system (CD 5230/5235 only)	
1st page (copy)	6.9 seconds**	Print format	A6R–A4	Compatibility	Super G3
Warm-up time	20 seconds	Print resolution	600 x 600 dpi (CD 5130P/5130/5230)/ 1,200 x 1,200 dpi (CD 5135/5235)	Original format	max A4
Copy resolution	600 x 600 dpi	Processor	PowerPC 440/667 MHz	Modem speed	33.6 kbps
Greyscales	256	Interfaces	USB 2.0, 10/100/1000BaseTX, USB host, CF slot	Transmission speed	3 seconds or less using JBIG
Paper feed	1 x 250 sheet universal cassette (A6R–A4), 50 sheet multi-bypass (A6R–A4 [min 70 x 148 mm, max 216 x 356 mm])	Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk	Compression method	JBIG, MMR, MR, MH
Paper weights	Universal cassette 60–120 g/m ² , multi- bypass 60–220 g/m ² , duplex 60–105 g/m ²	Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2, Novell NetWare, Linux, Mac OS X 10.4	Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi)
Paper output	150 sheet A4	Emulations	PCL6, KPDL 3 (PostScript 3 compatible), PRESCRIBE IIe, Line Printer, IBM Proprietary X24E, Epson LQ-850, Diablo 630, PDF 1.5, XPS (with additional memory)	Fax memory	8 MB (3.5 MB image buffer)
System memory	256 MB RAM, 768 MB RAM	Functions	USB direct printing, printing of e-mails, PDF direct printing, private printing (with additional memory), barcode printing, WSD/internet printing	Abbreviated dial	100 numbers
Continuous copying	1–999 copies	Scan system		One touch dial	22 numbers
Zoom	25 %–400 % in steps of 1 %	Scan type	CCD colour and b/w	Group dial	20 numbers
Functions	Duplex, job reservation, job programs, ID card copy, scan once – copy many, continuous scan, N-up, 20 management codes	Scan format	max A4	Operating systems	Windows XP, Vista, Windows 7, Server 2003/2008 R2
Dimensions/Weight		Scan speed	b/w: max 35/18 A4 originals/min (simplex/duplex) with 300 dpi, colour: max 14/8 A4 originals/min (simplex/ duplex) with 300 dpi	Functions	Network fax driver, automatic redialling, delayed transmission
Dimensions	CD 5130P: 366 x 494 x 410 mm (H x W x D); CD 5130/5135/5230/5235: 448 x 494 x 430 mm (H x W x D)	Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi	Options	
Weight	CD 5130P: approx. 15 kg; CD 5130/ 5135/5230/5235: approx. 18 kg	Scan mode	Photo, text, photo/text, OCR	Paper feed	max 2 x PF-120 (250 sheet universal cassettes [DIN A5R–DIN A4, 60–120 g/m ²])
				Other options	Card authentication kit (B), UT-110G Gigabit Ethernet network card (CD 5130P/ 5130/5135 only), cabinet no. 64

*CD 5130P is equipped with platen cover.

**Depending on operating status.

Specifications subject to change without notice.

Image shows machine with optional accessories.

Since 1961 UTAZ GmbH has been a brand for professional office technology. As a partner to retailers and medium-sized companies, we specialise in sales and integration of printing, copying and multifunctional systems in business IT. When advising our customers, we always strive to support their strategic business objectives with UTAZ solutions. In addition to hardware, UTAZ also develops customized software for efficient document management.

UTAZ recommends the use of original UTAZ accessories for trouble-free operation of your system.

For recommended print media refer to the user manual. UTAZ and the UTAZ logo are registered trademarks of UTAZ GmbH. All other brand names referred to are registered trademarks of the respective manufacturers.

